

Reusability is your profit!





KTG 
KABELTROMMEL GMBH & CO.KG

Camp-Spich-Str. 55/59

D-53842 Troisdorf

Phone: +49 2241 2524 0

E-Mail: vertrieb@kabeltrommel.de

www.kabeltrommel.de

Timber Reel - Reusable

(Ø 710 – 2.800 mm)

Item-- number	Flange-Ø d1 mm	Core-Ø d2 mm	Overall Width L1 mm	Winding Width L2 mm	Weight ca. kg	Max. Carrying Capacity kg
10070	710	355	520	400	25	250
10080	800	400	520	400	31	400
10090	900	450	690	560	47	750
10100	1.000	500	710	560	71	900
10120	1.250	630	890	670	144	1.700
10140	1.400	710	890	670	175	2.000
10160	1.600	800	1.100	850	280	3.000
10180	1.800	1.000	1.100	840	380	4.000
10200	2.000	1.250	1.350	1.045	550	5.000
10208	2.000	1.000	1.275	1.060	479	5.000
10220	2.240	1.400	1.450	1.140	710	6.000
10250	2.500	1.400	1.450	1.140	875	7.500
10251	2.500	1.600	1.450	1.130	900	7.500
10280	2.800	1.800	1.635	1.280	1.175	10.000

KTG's robust reusable timber cable reels have a proven track record dating back more than 50 years. They are made of untreated timber from sustainable sources and is ideal for outdoor use. The design and the choice of materials that are used guarantee a long service life and a high load capacity.



Iron-Rimmed Timber Reel - Reusable

(Ø 710 – 2.800 mm)

Item number	Flange-Ø d1	Core-Ø d2	Overall Width L1	Winding Width L2	Weight ca.	Max. Carrying Capacity
	mm	mm	mm	mm	kg	kg
20070	710	355	520	400	28	250
20079	710	315	462	390	27	250
20080	800	400	520	400	35	400
20089	800	315	462	390	32	400
20090	900	450	690	560	51	750
20100	1.000	500	710	560	78	900
20120	1.250	630	890	670	165	1.700
20128	1.250	630	890	712	156	1.700
20140	1.400	710	890	670	199	2.000
20148	1.400	710	835	670	178	2.000
20160	1.600	800	1.100	850	309	3.000
20168	1.600	800	1.030	850	276	3.000
20180	1.800	1.000	1.100	840	413	4.000
20188	1.800	1.000	1.030	840	341	4.000
20200	2.000	1.000	1.350	1.060	600	5.000
20208	2.000	1.000	1.275	1.060	515	5.000
20201	2.000	1.250	1.350	1.045	588	5.000
20220	2.240	1.120	1.350	1.050	750	6.000
20221	2.240	1.400	1.450	1.140	753	6.000
21221	2.200	1.050	1.110	950	560	5.000
20250	2.500	1.400	1.450	1.140	923	7.500
20251	2.500	1.250	1.350	1.045	925	7.500
21251	2.500	1.050	1.130	950	685	6.000
20280	2.800	1.800	1.635	1.280	1.240	10.000



Resilient and reliable – that’s what KTG’s iron-rimmed timber cable reels are. The smooth flange-rim ensures absolutely safe handling. They are also made of untreated timber from sustainable sources, and a long service-life and high load capacity are guaranteed.

Plastic Reel - Reusable

(Ø 710 – 1.000 mm)

Item-number	Flange-Ø d1	Core-Ø d2	Overall Width L1	Winding Width L2	Weight ca.	Max. Carrying Capacity
	mm	mm	mm	mm	kg	kg
30070	710	355	510	400	11	250
30080	800	400	510	400	16	350
30090	900	450	690	560	23	400
30100	1.000	500	700	560	32	500

Plastic Reel - Disposable

(Ø 390 - 600 mm)

Item-number	Flange-Ø d1	Core-Ø d2	Overall Width L1	Winding Width L2	Weight ca.	Max. Carrying Capacity
	mm	mm	mm	mm	kg	kg
30392	390	125	445	415	2	80
30437	435	125	485	445	2	80
30500	500	150	444	404	3	100
30600	600	250	440	400	4,2	130

For the transportation of premium and sensitive products

KTG's plastic cable reels are made of recycled plastics and their low weight is a real benefit. Their smooth coiling space makes them particularly ideal for shipping of premium and sensitive products, such as LAN, glass-fibre and solar cables. They are a price-competitive alternative to plywood. Of course KTG's reusable plastic cable reels comply with the EU Packaging and Packaging Waste Regulation.



Timber Reels - One-Way / Export

(Ø 710 – 2.500 mm)


Item-number	Flange-Ø d1 mm	Core-Ø d2 mm	Overall Width L1 mm	Winding Width L2 mm	Weight ca. kg	Max. Carrying Capacity kg
E078-70HT	710	315	472	400	18	300
E088-70HT	800	315	472	400	21	400
E098-70HT	900	400	632	560	30	600
E108-70HT	1.000	450	632	560	36	700
E128-70HT	1.250	500	770	650	86	1.400
E148-70HT	1.400	700	952	830	120	2.000
E169-10HT	1.600	850	946	830	160	2.500
E184-70HT	1.800	950	1.080	950	217	3.500
E207-70HT	2.000	1.100	1.066	950	260	4.500
E228-70HT	2.200	1.120	1.388	1.220	390	4.500
E259-70HT	2.500	1.400	1.408	1.220	850	7.500

Optimum value for money for domestic and export use



These solid timber reels are perfectly suited to transport your products safely abroad. You are provided with premium-quality cable reels, which are made of heat-treated timber in accordance with IPPC standards.

The KTG-Reel-Circulation-System



*Conclusion of contract required

Reusability is your profit!

KTG Service- / Stock-Sites

An area-wide network of transport service providers and repair businesses (with warehousing capacity) ensures an optimum level of cable reel provision and take-back. Identical quality standards and guidelines apply to all KTG repair businesses.

Our services:

- Provision of ready-to-use cable reels
- Pick-ups in many areas of Europe
- Sorting, Repairing and Maintenance
- Storage and Recycling
- Management and Billing





Integrated Logistics Solutions


Modern cable-reel management throughout Europe

KTG reels, that have been reported as ready for collection, will be picked up free of freight costs in most parts of Europe (Germany, Netherlands, Belgium, Luxembourg, Switzerland, Austria, Denmark), repaired or disposed of. Depending on your location, the pick-up will be within approx. 15 workdays after we received your notification.


You will be notified in writing six weeks before the end of the rental-free period by means of a "Reel Reminder."

Simply report your empty KTG system reels online as ready for collection.

-  Single collection free of freight costs
-  Collective collection on request + pro rata freight costs



Online Reel-Administration



- ✓ Safe Login
- ✓ Up-to-date information about reel stock
- ✓ Administration of projects
- ✓ Extensive reporting
- ✓ Residual-length administration
- ✓ Statistics of quantities and turnover

Our principles for the environment's protection

Timber of sustainable forestry



100 % recyclable



Professional utilization



Logistically optimized transports



Resource-efficient



**Our contribution out of conviction
for more than 50 years!**



Camp-Spich-Str. 55/59
D-53842 Troisdorf
Phone: +49 2241 25 24 0
E-Mail: vertrieb@kabeltrommel.de
www.kabeltrommel.de

